



Attorney Docket No. 826.1717

*Co/C*  
*\$*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yoshinori YAGINUMA

Application No.: 09/817,257

ATTENTION

Confirmation No.: 8015

CERTIFICATE OF CORRECTION

Filed: March 27, 2001

BRANCH

U.S. Patent No.: 6,988,090

Issued: January 17, 2006

For: PREDICTION ANALYSIS APPARATUS AND PROGRAM STORAGE MEDIUM  
THEREFOR

REQUEST FOR CERTIFICATE OF CORRECTION

**Certificate**  
FEB 07 2007  
**of Correction**

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the applicant; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

02/05/2007 SZEWDIE1 00000040 6908090

01 FC:1811

100.00 OP

Date: 1/31/7

By: *[Signature]*

J. Randall Beckers

Registration No. 30,358

1201 New York Ave, N.W., 7th Floor  
Washington, D.C. 20005  
Telephone: (202) 434-1500  
Facsimile: (202) 434-1501

02/05/2007 SZEWDIE1 00000036 09017257

01 FC:1811

100.00 OP

02/05/2007 SZEWDIE1

02/05/2007 SZEWDIE1 00000036 09017257

01 FC:1811

100.00 OP

FEB 07 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,988,090

DATED : January 17, 2006

INVENTOR(S) : Yoshinori YAGINUMA

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

First Page, Column 2 (Other Publications), Line 4, change " "Preciction" to --"Prediction--.

First Page, Column 2 (Other Publications), Line 5, after "ACM" insert --,--.

First Page, Column 2 (Other Publications), Line 7, after "Sys." insert --,--.

First Page, Column 2 (Other Publications), Line 11, after "conf." insert --,--.

First Page, Column 2 (Other Publications), Line 15, after "ACM" insert --,--.

Column 16, Line 19, change "know" to --known--.

MAILING ADDRESS OF SENDER:  
STAAS & HALSEY LLP  
1201 New York Avenue, N.W.  
7th Floor  
Washington, DC 20005

PATENT NO. 6,988,090

No. of add'l copies  
@ 304 per page

⇒

FEB 07 2007